Serial No.: 10/034,966

Filed: December 26, 2001

Page : 2 of 7

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A personal care product comprising, within a pressurized container:
 - a personal care formulation;
 - a propellant; and
- a sorbant, comprising a foam or fibrous material, that has formed a gel with at least a portion of the propellant.
- 2. (Original) The personal care product of claim 1 wherein a first portion of the propellant is present in the container as a gas, and a second portion of the propellant is adsorbed onto the sorbant as a gel.
- 3. (Original) The personal care product of claim 2 wherein the first and second portions comprise substantially all of the propellant.
- 4. (Original) The personal care product of claim 2 wherein a third portion of the propellant is emulsified into the personal care formulation as a liquid.
- 5. (Original) The personal care product of claim 4 wherein there is a gas/liquid phase equilibrium present in the container.

Serial No.: 10/034,966

Filed: December 26, 2001

Page : 3 of 7

6. (Original) The personal care product of claim 1 wherein the sorbant comprises a polymer.

- 7. (Original) The personal care product of claim 6 wherein the polymer is partially cross-linked.
- 8. (Original) The personal care product of claim 7 wherein the polymer is cross-linked to an extent that will permit it to swell upon adsorption of propellant, while remaining substantially insoluble in the propellant.
- 9. (Original) The personal care product of claim 6 wherein the polymer is selected from the group consisting of silicones, polysiloxanes, polybutenes, polypropylenes, polyethylenes, and latex rubbers.
 - 10. (Cancelled)
- 11. (Original) The personal care product of claim 6 wherein the solubility parameter of the polymer is within 2 units of the solubility parameter of the propellant.
- 12. (Original) The personal care product of claim 1 or 4 wherein the personal care formulation comprises a soap solution.
- 13. (Original) The personal care product of claim 1 or 3 wherein the personal care formulation comprises a gel.
 - 14. (Cancelled)

Serial No.: 10/034,966

Filed: December 26, 2001

Page : 4 of 7

15. (Original) The personal care product of claim 1 wherein the personal care product is selected from the group consisting of shaving products, antiperspirant products or deodorant products.

- 16. (Original) The personal care product of claim 1 wherein the propellant comprises a hydrocarbon oil.
- 17. (Currently Amended) The personal care product of claim 15 wherein the propellant has a vapor pressure of less than 125 psia psig at 70°F.
- 18. (Original) The personal care product of claim 1 wherein the product is dispensed from the container as a foam, and the foam density of the product remains substantially constant until at least 70% of the contents of the can have been exhausted.
- 19. (Original) The personal care product of claim 1 wherein the sorbant has a relatively higher affinity for the propellant than for the personal care formulation.
- 20. (Original) The personal care product of claim 1 wherein the propellant is substantially insoluble in the personal care formulation.

21-26 (Cancelled)

- 27. (Currently Amended) A method of manufacturing a personal care product comprising:
 - (a) providing, within a container, a sorbant comprising a foam or fibrous material;
 - (b) delivering, to the container, a personal care formulation;
 - (c) sealing the container; and
 - (d) pressurizing the container with a propellant.

Serial No.: 10/034,966

Filed: December 26, 2001

Page : 5 of 7

28. (Original) The method of claim 27 wherein the sorbant is delivered to the container with, before, or after the delivery of the personal care formulation.

- 29. (Original) The method of claim 27 wherein the sorbant is adhered to or coated on an inner surface of the container prior to delivery of the personal care formulation.
- 30. (Original) The method of claim 27 wherein the sorbant is adhered to or coated on a dip tube inserted into the container.